

FAYETTE COUNTY LEGISLATIVE BODY

OCTOBER 22, 2019

BE IT REMEMBERED that the Fayette County Legislative Body met in regular session on October 22, 2019, at the Bill G. Kelley Criminal Justice Complex in Somerville, Tennessee. Present and presiding was County Mayor Rhea Taylor. Also present were James R. “Bobby” Riles, Sheriff; Sue W. Culver, County Clerk, and the following County Commissioners: Charles E. Dacus, Jr., Ben Farley, Willie German, Jr., Tim Goodroe, Terry Leggett, David Lilliard, Sr, Sylvester Logan, Jim Norton, Claude Oglesby, Tommy Perkins, Kevin J. Powers, Dale Reaves, Steve Reeves, Elizabeth Rice, Ray Seals, Robert Sills, Bill Walker, Johnny Walker, and Larry Watkins.

A quorum was declared with all nineteen (19) commissioners present.

The floor was opened to the public for comments on non-agenda items. With no one coming forth the floor was closed.

Commissioner Bill Walker moved to approve the minutes from September 24, 2019. The motion was seconded by Commissioner Leggett and passed unanimously.

Commissioner Watkins moved to approve the following as notaries public: Bobby C. Champion, William B. Cowan, Jr., Sarah K. Harris, Chelsey L. Hart., Angela F. Higgs, Denise S. Hobson, Amy P. Jenkins, Cynthia O. Lacy, David H. Lilliard, Jr., Tara S. McDaniel., Jacqueline D. McKinnie, Mary M. Moynihan, Alexis Rowe, Loraine N. Seaberry, and H. Suzanne Wiggins. The motion was seconded by Commissioner Farley and passed unanimously.

Commissioner Oglesby moved to approve the reappointment of Myles Wilson to the Audit Committee as his term has expired, and to also appoint Commissioner Steve Reeves to the Audit Committee to replace Former Commissioner Bill Kelley who passed away in June of this year. The motion was seconded by Commissioner Farley and passed unanimously.

Chairman Taylor reminded Commissioners that financial reports were in Commissioners packets and any questions should be addressed with the appropriate official.

Chairman Taylor reported for the County Mayor’s Office stating that the County has a new Litter Control Officer in training. He will be on the job next week. Also, he announced that the County landfill will not accept any deer carcasses because of the Chronic Wasting disease that has been found in the county.

No reports were given from the Sheriff’s Department, Board of Education, Juvenile Court, Board of Public Works, Trustee’s Office, or Planning & Development.

Commissioner Farley reported for the Development Committee which met on October 7, 2019, and discussed the “In God We Trust” Resolution. After the discussion the Committee voted to approve the resolution with the understanding that the signage would be donated. Also discussed was the adoption of the 2018 international building code. The Committee asked for a

meeting prior to the October 22, 2019 meeting of the Legislative Body to hear any concerns on the adoption of the building code. Also discussed was the Adequate Facilities Fee Increase, the ADA Transition Plan adoption, and the Board of Zoning Appeals nominee search.

Commissioner Steve Reeves reported for the Health and Welfare Committee which met on October 7, 2019. The Committee reviewed the ambulance with Director Glenn Miller. Mr. Miller stated that the CBDG grant which helped buy two ambulances has been closed out, and the County can start the process of applying for a new one, which will be awarded in February, 2020. Mr. Miller also recommended staying with American Medical Billing (AMB) though another provider offered a slightly lower percentage rate for collection, stating that the current contractor has provided good service and has been very responsive, and the business is located closer in case a problem arises which requires a visit. The Committee took no action on the "In God we Trust" resolution, since the resolution was voted on last month. Mr. Miller reported to the Committee that he is researching neighboring ambulance systems and is close to proposing a multi-year plan to raise the EMT/paramedic pay to remain competitive, and he has had some preliminary discussions with the Sheriff to coordinate a county-wide employee classification pay scale. The Committee was also given an update on the Chronic Wasting Disease which affects deer and has been discovered in this county. Finally, the Committee discussed Pet Data.

The Personnel Committee and Education Committee did not meet.

Commissioner Rice reported for the Criminal Justice/Public Safety Committee which met on October 8, 2019. The Committee reviewed the monthly Sheriff's report, discussed the "In God We Trust" resolution, paying close attention to wording regarding the authority of the Commission and wording concerning future costs. The Committee also discussed the CAD software being purchased by 9-1-1 for the Sheriff's Department which will reduce the amount of duplicating. After discussion the Committee recommended to purchase the software and to agree to fund the annual maintenance amount.

Commissioner German reported for the Budget Committee which met on October 8, 2019.

Commissioner Rice moved to approve the following "In God We Trust" Resolution. The motion was seconded by Commissioner Oglesby. After some discussion, former Commissioner Bunker addressed the Board in support of the resolution. Commissioner Goodroe asked if he could amend the resolution. At that point Commissioner Oglesby moved to table the motion. The motion was seconded and a roll call vote was called for.

“IN GOD WE TRUST” Resolution

A RESOLUTION OF THE FAYETTE COUNTY COMMISSION, STATE OF TENNESSEE, RECOGNIZES AND REAFFIRMS “IN GOD WE TRUST” AS THE OFFICIAL MOTTO OF THE UNITED STATES AND SUPPORTS THE DISPLAY OF THE NATIONAL MOTTO IN ALL COUNTY OWNED BUILDINGS, SCHOOLS, AND ON ALL MARKED COUNTY OWNED FIRST RESPONDER VEHICLE

WHEREAS, “In God We Trust” became the United States national motto on July 30, 1956, shortly after our nation led the world through the trauma of World War II; and

WHEREAS, “In God We Trust” has been an integral part of our society since its founding; and

WHEREAS, the words have been used on U.S. currency since 1864; and

WHEREAS, the same inspiring motto is engraved above the entrance to the U.S. Senate Chamber as well as above the Speaker’s rostrum in the U.S. House Chamber; and

WHEREAS, the State of Tennessee passed legislation that the motto be displayed in schools;

WHEREAS, in both war and peace, these words have been a profound source of strength and guidance to many generations of Americans; and

WHEREAS, the County desires to display this patriotic motto in all Fayette County owned and occupied buildings and on all marked county first responder vehicle as a way to solemnize public occasions, express confidence in our society, and display the source of our county’s sustenance, protection, wisdom, strength, and direction.

NOW, THEREFORE, BE IT RESOLVED the Fayette County Commission does hereby resolve as follows:

Section 1. That the Fayette County Commission of Fayette County, TN, does hereby officially recognize and reaffirm “In God We Trust” as the official motto of the United States and as such determine that the historic and patriotic words of our national motto, “In God We Trust,” shall be permanently and prominently displayed in county owned and occupied buildings and on all marked county first responder vehicle at no cost to the Fayette County Tax Payers.

Section 2. The County Clerk shall certify to the passage and adoption of this resolution and enter it into the book of original resolutions.

PASSED, APPROVED AND ADOPTED at a regular meeting of the Board of County Commission of the County of Fayette, TN, held on the 22nd day of October 2019.

Rhea Taylor, Fayette County Mayor

Sue Culver, County Clerk

Oct 22, 2019

Motion to table "In God We Trust"
Resolution

ROLL CALL
FAYETTE COUNTY BOARD OF COMMISSIONERS

	YES	NO	PASS
DACUS, CHARLES E. JR.	✓		
FARLEY, BEN	✓		
GERMAN, WILLIE, JR		✓	
GOODROE, TIM		✓	
LEGGETT, TERRY		✓	
LILLIARD, DAVID	✓		
LOGAN, SYLVESTER	✓		
NORTON, JIM	✓		
OGLESBY, CLAUDE	✓		
PERKINS, TOMMY		✓	
POWERS, KEVIN J.		✓	
REAVES, DALE		✓	
REEVES, STEVE	✓		
RICE, ELIZABETH	✓		
SEALS, RAY	✓		
SILLS, ROBERT		✓	
WALKER, BILL		✓	
WALKER, JOHNNY		✓	
WATKINS, LARRY	✓		
TOTAL	10	9	

Thereupon Motion passed and matter was tabled until next month.

Commissioner German moved to approve the following resolution to increase the Adequate Facilities Tax. The motion was seconded by Commissioner Oglesby, and passed on a majority vote, with Commissioner Leggett voting "No".

RESOLUTION TO INCREASE FAYETTE COUNTY'S ADEQUATE FACILITIES TAX

October 22, 2019

WHEREAS, Fayette County has been authorized by the Tennessee General Assembly in the Private Acts of 2001, Chapter 69, to assess an Adequate Facilities Tax on new development for the cost of new and expanded public facilities, which are reasonably related to new development; and

WHEREAS, the term "Public facility", within the act, means a physical improvement undertaken by the county or any city, including, but not limited to the following: roads and bridges; parks and recreational facilities; jails and law enforcement facilities; schools; libraries; government buildings; fire stations; sanitary landfills; water, wastewater and drainage projects; airport facilities and other governmental capital improvements benefiting the citizens of the county and/or city; and

WHEREAS, Fayette County has the right to increase the rate per square foot of construction up to \$1.00; and

WHEREAS, Fayette County is experiencing population growth and the need for expanded services that come with the growth; and

WHEREAS, Fayette County is having to address the need for increased services regarding fire, law enforcement, emergency medical and road repair;

NOW, THEREFORE, BE IT RESOLVED by the County Commission of Fayette County that in order to address the aforementioned problems that the county adopts the following changes to the Adequate Facilities Tax:

- 1. The Adequate Facilities Tax for residential construction shall be ___ cents per heated square foot of construction.
2. The Adequate Facilities Tax for commercial/industrial construction shall be twenty-five (25) cents per square foot of construction.
3. This rate change shall take effect on ____, 2019.
4. The following shall amend the Capital Improvement Plan required of the private act. Of the per square foot tax:
- thirty percent (30%) shall be dedicated to school construction projects,
- thirty percent (30%) shall be dedicated to road improvement projects
- thirty percent (30%) shall be dedicated to law enforcement and safety projects
- ten (10) percent shall be dedicated to general government projects

Adopted this 22nd day of October, 2019.

APPROVED: ATTEST:

County Commission Chairman

County Clerk

Commissioner German moved to approve the following Inter-County Contribution Agreement between the Fayette County Emergency Communications District and the Fayette County Mayor's Office providing Dispatch Software for the Sheriff's Office. The Motion was seconded by Commissioner Rice and passed unanimously.

INTER-COUNTY
CONTRIBUTION AGREEMENT

This agreement made and entered into by the Fayette County Emergency Communications District (hereinafter the ECD) and the Fayette County Mayor's Office (hereinafter the County) and for good and valuable consideration it was agreed as follows:

- The board shall purchase the CentralSquare Public Safety Suite Pro.
- The County will reimburse the ECD for \$109,876.00, for Jail management software/hardware portion of the system.
- The County will contribute \$40,000.00 annually to the total cost of \$109,298.00 for maintenance/support & subscriptions cost.
-
- Equipment payment due July 2020. Maintenance payments begin July 2021.

Fayette County Emergency
Communications Board

Fayette County
Mayor's Office

By: _____

By: _____

Raymond Seals, Chairperson

Rhea Taylor, Mayor

Date: _____

Date: _____

Signer's Name: _____

Signer's Title: _____

Signature	Date

Exhibit A: Statement of Work

Zuercher will provide Software, Hardware and Services substantially similar to those outlined below, in the quantities specified in *Exhibit B: Pricing Detail*.

10.0 Software

The software detailed in the following sections includes, but is not limited to, the listed functionality.

- Pro Suite Base*** Operating system software • Secure intra-Customer messaging
- Database software
 - Configurable dashboard
 - Master name index
 - Web address links
 - Master address index
 - No duplicate data entry
 - Master vehicle index
 - Authentication

- Administration (Core)*** Equipment • Service Dogs
- Fleet Management
 - Policy Manual
 - Inventory Management
 - Full audit trail
 - Purchase Requisitions
 - Custom Forms

- CAD (Core)*** Command-line entry • Command Log
- Bulletins
 - Triple I
 - Configurable CAD Windows
 - Custom CAD Commands
 - Inactivity Alarms
 - Unit Alarms
 - Rip and Run
 - AN/ALI
 - Full audit trail

- CAD (Advanced)*** Alarm Billing • NCTC Automation
- Alarm Calls
 - Basic Paging
 - Nurse Calls
 - Run Cards and Unit Recommendation
 - Scheduled and Recurring Scheduled Calls
 - Unit Specialties
 - Tow Calls
 - Web windows
 - Custom Forms
 - Caller Location Query (CLQ) Subscription Service

- Mapping (Core) -- Server Based**
- Command-line entry
 - Active calls for service
 - Drag and drop commands
 - Call for service click-through
 - Visual status alerts
 - Custom map markers
 - User-configurable map layers
 - Address verification
 - GIS functions with map window closed
 - Faster map functions (compared with non-server version)
 - Required for 15 or more AVL units

Mapping AVL* Vehicle locations on map • Call for service integration
10/18/2019 58 of 84

Fayette County Commission

Mapping AVL Playback* Displays on the map • Print or export playback data
• View by time, by unit, by CFS

Civil (Core)* Civil Papers • Service attempt log
• Configurable paper types • Full audit trail

Civil (Advanced)* Executions, distress warrants, and • Receipts and statements
foreclosures • Interest calculations
• Civil Cases • Deadline calculations
• Automatic invoice creation • Custom Forms

Financial (Core)* Double-entry accounting • Receipt generation
• Automatic invoice creation • Statement printing
• Configurable addition of fees based on Records workflow • Bulk Invoice Payments
• Account reconciliation • Full audit trail

Jail (Core)* Booking, Intake, and Release • Inmate Property
Wizard • Victim Notification
• Cell Occupancy Log • Visitor logging
• Activities • Jail Log
• Basic Bank • Shift Log
• Issued Property • Court Events
• Medication • Classification
• Jail Billing • Cell Recommendation
• Bond Payments • Inmate Classes and Transportation
• Sentence calculation and Good Time • Full audit trail

Jail (Advanced)* Advanced Inmate Bank • Inmate Work Shifts
• Expenses • Stay Scheduling (Weekenders)
• Expungement Log • Multiple Facilities
• Sentence Reductions • Jail workflow
• Inmate Checks • Custom Forms

Mobile Core* Grants access to the Zuercher
Mobile application

Mobile AVL* Vehicles shown on map • Call for service integration

Mobile CAD* User-configurable layouts • Silent dispatch
• Day/Night mode • Bulletins/BOLOS
• Instant messaging • NCIC queries

Mobile Civil* Service attempts log • Print out papers

Mobile Mapping* Active calls for service • User configurable map layers
 • Map Markers • Route from current location to CFS location
 • Visual status alerts

Mobile Records* Cases • Master index access (including mug shots and alerts)
 • Warrants

Personnel (Core)* Personnel Log • Full audit trail

Personnel (Advanced)* Commendations • Service History
 • Disciplinary Actions • Training
 • Positions • Citizen Feedback
 • Promotions

Portal (Community Involvement) • Read-only access • Data sharing with other Customers
 • Public access to Inmates, Sex Offenders, Warrants, Civil Papers, and Calls for Service • Media reports
 • Agency-defined permissions • Extra Patrol requests
 • Public tip submission

Records (Core)* Case Reports • Pawn Property
 • NIBRS/UCR Submission • Pistol Permits
 • Master Record Notes • Sex Offenders
 • Protection Orders • Full audit trail
 • Warrants
 • Juvenile Referral List

Records (Advanced)* Field Identifications • Tow Calls
 • Expungement • Bicycle Registrations
 • Intelligence Cases • Parking Tickets
 • Investigative Leads • Custom Forms
 • Form Requirements

Reporting (Core)* Pre-defined reports • Custom data filters
 • Custom reports • Statistical analysis
 • Ad-hoc reports • Scheduled reports
 • Drag and drop report building • COMSTAT compatible
 • Export to PDF, XLS, XML, TXT • Emailed reports

VP2 eCitations* Off-line operation • Prefill from NCIC return (for agency State only)
 • Driver's license and vehicle registration scanning • Paper ticket creation and printing
 • Case report association • VP2 eCitations Form Subscription (UCT)
 • Automated NCIC driver's license and registration queries • VP2 eCitations Form Subscription

- VP2 eCitations Subscription Core (Agency Site License) (Warning)
- VP2 eCitations Form Subscription (Profiling) Subscription (LT Systems)

- VP2 Accident Reporting***
- Driver's license and vehicle registration scanning
 - Automated NCIC driver's license and registration queries
 - Prefill from NCIC return (for agency State only)
 - Digitizing (via Easy Street Draw)
 - Paper accident report creation and printing
 - Case report association
 - Customer must provide all necessary licenses for the most current version of Easy Street Draw

- Field Ops***
- CJIS compliant mobile device app
 - Real-time CFS data access
 - Integrated photo and audio capture tools
 - Uses existing Zuercher Suite user credentials

- Community Data Platform (CDP)**
- Search engine for Zuercher Suite CAD and RMS Data
 - Up to 10 concurrent users supported
 - State-wide data sharing

10.1 Interfaces

All costs related to Zuercher's implementation of the following interfaces is represented in *Exhibit B: Pricing Detail*. Any third-party costs or charges incurred related to the implementation of the following interfaces will be the responsibility of Customer.

Any interfaces that cannot be deployed as part of System go-live due to Customer or a third-party vendor not being ready for deployment shall not delay System Acceptance.

Customer shall not allow any party, other than Zuercher, to add, update, or delete database records or file system objects directly to or on the server or database except as provided for in the Zuercher Documentation.

Zuercher backend server software is wholly managed by Zuercher and the Customer shall not attempt to access it, except as provided in the Zuercher Documentation. Customer shall not cause any software except the Software provided under this Agreement to be installed on or executed on the Server Hardware.

Refer to *Exhibit A: Statement of Work: 3.2 Implementation Process* overview for interface implementation information.

Standard Interfaces

The following are sold as standard interfaces. There will be no software modifications or changes to these standard interfaces:

10.1.1 CAD – Basic Paging Interface (SMTP/Email) (Export)

This is a one-way interface from Zuercher CAD. Pages are sent via email and/or SMS from Zuercher CAD. Zuercher enables the paging functionality in CAD.

Customer is responsible for configuring paging groups, templates, and trigger events for this interface.

10.1.2 CAD – E911 (ANI/ALI) Interface (Import)

This is a one-way interface from the 911 service provider to Zuercher CAD. It prepopulates calls for service by parsing raw spill data from the 911 service and importing it.

Customer is responsible for ensuring that:

(a) 911 service provider sets up the serial connection from the 911 controller to Zuercher CAD.

(b) 911 spill data can be pushed to Zuercher CAD at a decided upon frequency.

10/18/2019

61 of 84

Fayette County Commission

Commissioner German moved to approve the following Americans with Disabilities Act ADA Transition Plan Adoption. The motion was seconded by Commissioner Powers and passed

unanimously.

10.3.6.5

**AMERICAN WITH DISABILITIES
TRANSITION PLAN**

**FOR
FAYETTE COUNTY, TENNESSEE**

November 2019

INDEX

Description		Page
Introduction		3
County's Current ADA Program		4
	Responsible Official	3
	Advisory Team	4
	Self-Evaluation	4
	Compliant Process	4
Self-Evaluation Results and Facilities Location		5
	Self-Evaluation Results (Table 1)	5
ADA Transition Plan		5
	Overview	5
	Inventory	6
	Priorities	6
	Funding	6
	Implementation Plan and Schedule	7
	Procedure and Public Meetings	7
	Reasonable Compliance	7
	County Building Address and Information (Table 2)	8
	Responsible Parties	8
	Complaint Procedures	8
	Public Involvement	8
Appendix A (Grievance Procedure)		9
Appendix B – ADA Barrier List and Remedy Information		10

A. Introduction

The Americans with Disabilities Act (ADA) is a wide-ranging civil rights law that prohibits discrimination against people with disabilities in employment, transportation, public accommodation, communications, and governmental activities. It is a law that was enacted by the U. S. Congress in 1990. It was signed into law on July 26, 1990, by President George H. W. Bush. On July 23, 2010, Attorney General Eric Holder signed final regulations revising the Department's ADA regulations, including its ADA Standards for Accessible Design. These final rules went into effect on March 15, 2011 but were not required until March 15, 2012. There are five (5) separate Titles (or sections) of the Americans with Disabilities Act (hereafter referred to as "ADA") as follows:

- Title I – Employment
- Title II – Public Services and Transportation
- Title III – Public Accommodations
- Title IV – Telecommunications
- Title V – Miscellaneous

Pursuant to Title II of the ADA, public entities are prohibited from discriminating based on a disability. All programs, services and activities offered by the public entity must be accessible to persons with disabilities. In order to accomplish this, the Department of Justice developed regulations requiring the County to conduct a Self-Evaluation of the accessibility of its programs and services to determine whether issues of accessibility could be addressed through changes in the way such programs and services are provided.

The County is obligated to remove physical barriers to accessibility when program changes cannot ensure access to services, programs, and activities in existing facilities. Realizing that the structural changes would take time and money to provide, the Department of Justice Regulations, Federal Register 28 CFR Part 35, states that "in the event that structural changes to facilities will be undertaken to achieve program accessibility, a public entity that employs 50 or more persons shall develop a Transition Plan setting forth the steps necessary to complete such changes." Additionally, "if a public entity has responsibility or authority over streets, roads, or walkways, its Transition Plan shall include a schedule for providing curb ramps or other sloped areas where pedestrian walks cross curbs, giving priority to walkways serving entities covered by the Act."

B. County's Current ADA Program

1. Responsible Official

An Americans with Disabilities Act (ADA) Compliance Coordinator has been designated by the County Mayor as the person responsible for the development and implementation of the County's ADA Transition Plan.

2. Advisory Team

The County Mayor will appoint an Americans with Disabilities Act (ADA) Advisory Team which will include the County's ADA Compliance Coordinator, Elected Officials and other County staff, along with (as applicable) disabled County residents and representatives of agencies or organizations that offer programs or services to those with disabilities. The members of this team are:

- ADA Coordinator
- County Mayor, or his representative
- Sheriff, or his representative
- Court Clerk, or his representative
- Fire Chief, or his representative
- Non-profit Service organization
- Fayette County Commission on Aging representative
- Local disability organization representative
- Member of the Public-at-large

This group will be an advocate for those with disabilities and will develop policies and procedures to be adopted by the County. It will review and evaluate policies, procedures, programs, services, plans and other aspects of all County functions to determine if the needs of the disabled community are being addressed. This group will meet periodically as needed, and the meetings will be open to the public.

The Advisory Team welcomes the opportunity to learn how it can better serve the disabled community. The public may give input and comment on matters related to the ADA to a County staff person, elected officials and ADA Advisory Team members. However, the County recommends that all comments be directed to the ADA Compliance Coordinator. Reports may be made verbally, or in writing by mail or by e-mail.

3. Self-Evaluation

The County has conducted a Self-Evaluation of County facilities, programs, services and activities to ensure that they are accessible to and usable by persons with disabilities. The ADA Compliance Coordinator worked with County staff to complete the Self-Evaluation process. Based upon the results of this Self-Evaluation, an Action Plan has been developed listing specific modifications needed, with target dates by which those modifications would be made.

4. Complaint Process

The County has developed a disabled access Complaint Process for individuals who have an ADA issue about program or facility access within the County. This is outlined in Appendix A of this document.

C. Self-Evaluation Results and Facilities Locations

County-Owned Facilities: Table 1 lists the County-owned facilities and identifies the deficiencies of each regarding ADA accessibility.

The County has thirteen (12) buildings have some deficiency. Ten (10) locations have deficiencies with providing services. Twelve (12) locations have deficiencies with toilet rooms. Three (3) locations have deficiencies with other aspects.

**Table 1
Self-Evaluation Results**

Buildings	HC Parking	HC Parking Signs	HC Ramps	HC Accessible Entrance	HC Accessible Restrooms
Agriculture Extension Service	Y	Y	N	Y	N
Airport	Y	N	N	Y	N
Courthouse	Y	Y	Y	Y	Y
Election Office	Y	N	N	Y	Y
Emergency Management	Y	Y	Y	Y	Y
FD (Fire Department) Office	N	N	N	Y	N
Health Department	N	N	Y	Y	Y
Justice Complex	Y	Y	Y	Y	Y
Library	Y	N	N	Y	Y
Mayor's Office	Y	Y	N	Y	N
Mt. Moriah Community Center	Y	N	N	Y	N
Planning and Development	Y	N	Y	Y	N
Public Works	N	N	N	Y	N
Veteran's Affairs	Y	N	N	N	N

D. ADA Transition Plan

1. Overview

The goal of the Americans with Disabilities Act (ADA) Transition Plan is to ensure that the County creates accessible public facilities and accessible paths of travel in the public right-of-way for people with disabilities.

The County evaluated County facilities and pedestrian circulation paths for accessible features as required by the Americans with Disabilities Act (ADA) and its implementing regulations under Title II (28 CFR 35.150). The evaluation included, but was not limited to, all County buildings that provide services, programs and activities to the public. Based on this information, this transition plan outlines the steps the County will take to provide new, or upgrade existing, ADA-compliant facilities as required by the ADA and its implementing regulations. The County's facilities will be constructed or reconstructed to meet applicable requirements, effective at the time of bidding or at the time of construction if using County forces.

2. Inventory

The inventory was based on the County's Self-Evaluation of locations where no ADA parking and/or accessible routes are provided to County facilities; where non-compliant entrances, ramps, toilets and other features exist; and where existing features are in poor condition. The evaluation was completed May of 2019 and will be updated every 5 years. Each year a review of progress will be made during the county's annual budget process.

3. Priorities

ADA Guidance concerning Public Accommodations and Commercial Facilities recommends addressing features to be installed or reinstalled in the following order: (1) physically entering the facility; (2) providing access to public services; (3) access to public restrooms; (4) any other barriers to public accommodation. The order will be followed by addressing each of the following facilities, ranked by their order of importance to the general public.

Priority 1 – Emergency Services/Law Enforcement/Courts

- Justice Complex
- Emergency Management Agency Facility
- Fayette County Fire Department

Priority 2 – Government Services

- County Mayor's Office
- Courthouse
- Planning and Development Office
- Veteran's Services
- Election Commission Office
- Fayette County Health Department
- Fayette County Airport
- Public Works

Priority 3 – Cultural

- Fayette County Library

Priority 4 – Other Facilities

- Agricultural Extension Service
- Mt. Moriah Community Center

4. Funding

The County has budgeted **\$10,000** annually for its ADA Program for ADA specific projects as defined in this transition plan. In addition to the yearly budgeted funds, ADA features may be installed as a part of projects that involve new construction, reconstruction, alterations, or maintenance. The cost of this work will be paid for using funds specifically allocated for the project. Funding for Public Works and Solid Waste projects will come from their annual budget.

5. Implementation Plan and Schedule

The County will implement this transition plan based on the number of items identified in the ADA Self-Evaluation, estimated cost of those features, and funding levels identified above. The following implementation strategy will be used. These estimates are subject to change.

- Priority 1 Number of locations: **3**
Construction season targeted for completion: **2020**

- Priority 2 Number of locations: **7**
Construction season targeted for completion: **2021**

- Priority 3 Number of locations: **2**
Construction season targeted for completion: **2022**

- Priority 4 Number of locations: **2**
Construction season targeted for completion: **2023**

6. Procedure and Public Meetings

The policies and procedures used by Fayette County have been reviewed so that they are in compliance with the ADA. Open meetings, such as County Commission meetings and Planning Commission meetings, are held at the Fayette County Justice Complex, which has no compliance deficiencies.

7. Reasonable Compliance

Fayette County will make every effort to reasonably comply with the ADA. If an individual has a request for assistance with a disability to obtain a public service, they should contact the ADA Coordinator or the Department responsible for the activity. If an individual has a request for assistance with a disability for a scheduled meeting, they should give the department responsible for the meeting or the ADA Coordinator notice of 5 business days prior to the meeting so that assistance can be rendered.

**Table 2
County Buildings Address and Contact Info**

County Building	Address	City	Phone	Email
Agriculture Extension Service	302B Midland Street	Somerville	(901) 465-5233	jvia@utk.edu
Airport	1075 Airport Road	Somerville	(901) 466-7007	dbooth@fayetttn.us
Courthouse	16755 Highway 64	Somerville	(901) 465-5202	mayor@fayetttn.us
Election Office	45 Dogwood Lane	Somerville	(901) 465-5223	fayetteco@bellsouth.net
Emergency Management	16855 Hwy 64	Somerville	(901) 465-5239	hwinfrey@fayetttn.us
Fire Department Main Office	315 East Market Street	Somerville	(901) 466-7130	rhartfield@fayetttn.us
Health Department	90 Yum Yum Road	Somerville	(901) 465-5243	??
Justice Complex	705 Justice Drive	Somerville	(901) 465-3456	LBSparks@fcsotn.org
Library	216 W. Market St.	Somerville	(901) 465-5248	Lwinfrey.sfcl@gmail.com
Mayor's Office	13095 North Main St.	Somerville	(901) 465-5202	mayor@fayetttn.us
Mt. Moriah Community Center	907 Mt. Moriah Road	Somerville	(901) 465-5202	mayor@fayetttn.us
Planning and Development	16265 Hwy 64	Somerville	(901) 465-5250	jpltner@fayetttn.us
Public Works	115 Yancey St.	Somerville	(901) 465-5222	fcpw@bellsouth.net
Veteran's Affairs	16265 Hwy 64	Somerville	(901) 465-5256	fayctyvetsvs@outlook.com

8. Responsible Parties

The County Mayor and ADA Coordinator are responsible for the implementation of this transition plan.

The responsible parties for ADA compliance are:

- Rhea Taylor, County Mayor, (901) 465-5202, mayor@fayetttn.us
- Hunter Winfrey, ADA Coordinator, (901) 465-465-5239, hwinfrey@fayetttn.us

9. Complaint Procedures

The County has defined the complaint procedures to be followed to provide citizens the ability to file a complaint to the County for alleged ADA discrimination. This is included in Appendix A.

10. Public Involvement

Public input was obtained in the development of this transition plan by soliciting comments from the County Commission, and the general public for 30 days from May 15th, 2019 to June 15th, 2016. All comments have been reviewed and incorporated as appropriate.

Appendix A

**Fayette County, Tennessee Government
Grievance Procedure under The Americans with Disabilities Act**

This Grievance Procedure is established to meet the requirements of the Americans with Disabilities Act of 1990 ("ADA"). It may be used by anyone who wishes to file a complaint alleging discrimination on the basis of disability in the provision of services, activities, programs, or benefits by the Fayette County, Tennessee Government (Fayette County). The Fayette County Personnel Policy governs employment-related complaints of disability discrimination.

The complaint should be in writing and contain information about the alleged discrimination such as name, address, phone number of complainant and location, date, and description of the problem. Alternative means of filing complaints, such as personal interviews or a tape recording of the complaint, will be made available for persons with disabilities upon request.

The complaint should be submitted by the grievant and/or his/her designee as soon as possible but no later than 60 calendar days after the alleged violation to:

Hunter Winfrey
ADA Coordinator / EMA Director
P.O. Box 820, 16885 Hwy 64
Somerville, TN 38068

Within 15 calendar days after receipt of the complaint, the ADA Coordinator or his designee will meet with the complainant to discuss the complaint and the possible resolutions. Within 15 calendar days of the meeting, the ADA Coordinator or his designee will respond in writing, and where appropriate, in a format accessible to the complainant, such as large print, Braille, or audio tape. The response will explain the position of Fayette County and offer options for substantive resolution of the complaint.

If the response by the ADA Coordinator or his designee does not satisfactorily resolve the issue, the complainant and/or his/her designee may appeal the decision within 15 calendar days after receipt of the response to the County Mayor or his designee.

Within 15 calendar days after receipt of the appeal, the County Mayor or his designee will meet with the complainant to discuss the complaint and possible resolutions. Within 15 calendar days after the meeting, the County Mayor or his designee will respond in writing, and, where appropriate, in a format accessible to the complainant, with a final resolution of the complaint.

All written complaints received by the ADA Coordinator or his designee, appeals to the County Mayor or his designee, and responses from these two offices will be retained by Fayette County for at least three years.

Appendix B

ADA Barrier List and Remedy Information

Office	Area of Access Barrier	Barrier Description	Recommended Solution	Priority	Est. Year Completed	Cost Est.
Justice Complex	Approach and Entrance	Accessible parking not marked clearly	Re-stripe parking lines	1	2020	\$ 500
Fire Department Office	Approach and Entrance	Carpet not secured to floor	Secure carpet to floor	1	2020	\$ 20
Fire Department Office	Approach and Entrance	No Accessible van sign	Install "van accessible" sign at proper height	1	2020	\$ 100
Fire Department Office	Approach and Entrance	No van accessible space	Reconfigure parking lines	1	2020	\$ 500
Emergency Management	Access to Goods and Services	No elevator or lift to second story	All services will be offered on ground floor	1	2020	\$ -
Emergency Management	Toilet Rooms	Coat hook too high	Reposition coat hook	1	2020	\$ 25
Fire Department Office	Toilet Rooms	No sign at accessible toilet room	Install signs	1	2020	\$ 50
Fire Department Office	Toilet Rooms	Entrance door does not have accessible hardware	Install accessible door handle hardware	1	2020	\$ 150
Fire Department Office	Toilet Rooms	Faucet cannot be operated with gripping or twisting	Replace faucet	1	2020	\$ 300
Fire Department Office	Toilet Rooms	Toilet height too low	Adjust toilet height	1	2020	\$ 500
Fire Department Office	Toilet Rooms	Side grab bar is too short	Install correct grab bar	1	2020	\$ 100
Election Commission Office	Approach and Entrance	Carpets and mats not secured to floor	Secure Carpets and mats	2	2021	\$ 50
Election Commission Office	Approach and Entrance	Inaccessible entrance does not have direction sign to accessible entrance	Install direction sign	2	2021	\$ 50
Election Commission Office	Approach and Entrance	No accessible van parking space marked	Mark van accessible parking space	2	2021	\$ 100
Election Commission Office	Approach and Entrance	Access aisle by accessible parking space not wide enough	Mark access space wider by accessible parking spot	2	2021	\$ 100

Election Commission Office	Approach and Entrance	Accessible space not marked with accessible route from parking area	Mark accessible lane from accessible parking	2	2021	\$ 100
Election Commission Office	Approach and Entrance	No accessible parking signs	Install accessible parking signs	2	2021	\$ 150
Health Department	Approach and Entrance	Accessible entrance door closes too quickly	Adjust closer	2	2021	\$ -
Health Department	Approach and Entrance	No accessible parking signs	Install signs	2	2021	\$ 100
Health Department	Approach and Entrance	No van accessible parking signs	Install signs	2	2021	\$ 100
Health Department	Approach and Entrance	No van accessible parking spaces	Reconfigure parking spaces	2	2021	\$ 500
Planning and Development	Approach and Entrance	No access area for van accessible parking	Mark access area for van accessible parking	2	2021	\$ 100
Planning and Development	Approach and Entrance	No accessible parking signs	Install signs	2	2021	\$ 150
Planning and Development	Approach and Entrance	No van accessible parking signs	Install signs	2	2021	\$ 150
Planning and Development	Approach and Entrance	No van accessible parking	Reconfigure parking area	2	2021	\$ 500
Veteran's Services	Approach and Entrance	Mats are not secured to floor	Secure mats	2	2021	\$ 20
Veteran's Services	Approach and Entrance	No van accessible parking space close to accessible entrance	Reconfigure by repainting lines	2	2021	\$ 100
Veteran's Services	Approach and Entrance	Not enough van accessible spaces behind building	Reconfigure by repainting lines	2	2021	\$ 100
Veteran's Services	Approach and Entrance	Threshold of entrance door too high	Lower threshold	2	2021	\$ 100
Veteran's Services	Approach and Entrance	No sign above ground identifying van accessible space	Install sign	2	2021	\$ 150
Veteran's Services	Approach and Entrance	Entrance door not operable with one hand	Replace handle with lever handle	2	2021	\$ 150
Veteran's Services	Approach and Entrance	Slope of ramp at entrance door too steep	Extend current ramp	2	2021	\$ 500
Mayor's Office	Approach and Entrance	Accessible entrance door closes too fast	Adjust closer	2	2021	\$ -
Mayor's Office	Approach and Entrance	Not enough maneuvering room at accessible entrance landing	Install automatic door opener	2	2021	\$ 500

Mayor's Office	Approach and Entrance	Ramp leading to accessible entrance is too small	Alter ramp area	2	2021	\$ 1,000
Election Commission Office	Access to Goods and Services	Objects protrude into circulation area	Install permanent planter to act as warning for object	2	2021	\$ -
Election Commission Office	Access to Goods and Services	Door closer closes too fast	Adjust Door Closer	2	2021	\$ -
Election Commission Office	Access to Goods and Services	Counter height is too high	Lower counter height	2	2021	\$ 200
Health Department	Access to Goods and Services	Service counter too high	Lower height of a portion of counter to an accessible height and width	2	2021	\$ 500
Planning and Development	Access to Goods and Services	Object protrude into circulation area	Install permanent planter as warning for intrusion	2	2021	\$ -
Planning and Development	Access to Goods and Services	Interior direction signs not accessible	Install accessible signs	2	2021	\$ 50
Planning and Development	Access to Goods and Services	Interior door has inaccessible hardware	Install accessible hardware on door	2	2021	\$ 150
Veteran's Services	Access to Goods and Services	Drinking fountain protrudes into circulation space	Install permanent planter to block fountain	2	2021	\$ -
Veteran's Services	Access to Goods and Services	Circulation aisles are too narrow	Rearrange equipment and furniture	2	2021	\$ -
Airport	Approach and Entrance	Handicapped parking sign too low	Reposition HC sign	2	2021	\$ -
Airport	Approach and Entrance	Entrance ramp has no barrier to keep wheelchairs from rolling off	Install appropriate barrier with handrails	2	2021	\$ -
Airport	Approach and Entrance	Door closer closes too fast	Adjust closer	2	2021	\$ -
Airport	Approach and Entrance	Carpet mats not securely attached to floor	Secure mats	2	2021	\$ 20

Airport	Approach and Entrance	No parking "Van Accessible" sign	Install a parking "Van Accessible" sign	2	2021	\$ 150
Airport	Approach and Entrance	Entrance ramp is over 6 inches high and has no handrails	Install handrails	2	2021	\$ 500
Public Works	Approach and Entrance	Inaccessible entrance has no sign directing to accessible entrance	Install sign	2	2021	\$ 50
Public Works	Approach and Entrance	Accessible entrance does not have international symbol displayed	Install sign	2	2021	\$ 50
Public Works	Approach and Entrance	No van accessible parking space	Reconfigure parking space lines	2	2021	\$ 100
Public Works	Approach and Entrance	No marking to discourage parking in access space next to van accessible space	Mark space with lines	2	2021	\$ 100
Public Works	Approach and Entrance	No sign for van accessible space	Install sign	2	2021	\$ 150
Public Works	Approach and Entrance	Accessible entrance has no sign	Install sign	2	2021	\$ 150
Public Works	Approach and Entrance	Ramp to entrance of building is not slip resistant	Resurface ramp	2	2021	\$ 500
Public Works	Approach and Entrance	Entrance ramp's incline is too steep	Adjust incline by lengthening ramp	2	2021	\$ 500
Election Commission Office	Toilet Rooms	No signs at inaccessible toilet rooms giving directions to accessible toilet rooms	Install directional signs	2	2021	\$ 50
Election Commission Office	Toilet Rooms	No universal accessibility sign at accessible toilet room	Install universal sign	2	2021	\$ 50
Election Commission Office	Toilet Rooms	Toilet not positioned correctly	Move Toilet	2	2021	\$ 200
Planning and Development	Toilet Rooms	Front approach to accessible toilet room entrance door not wide enough	Remove obstructions	2	2021	\$ -
Planning and Development	Toilet Rooms	Pipes below lavatory not protected against contact	Cover pipes	2	2021	\$ 20
Planning and Development	Toilet Rooms	No signs at inaccessible toilet rooms giving directions to accessible toilet rooms	Install signs giving directions to accessible toilet rooms	2	2021	\$ 50

Planning and Development	Toilet Rooms	Accessible toilet room does not display international symbol of accessibility	Install sign with symbol of accessibility	2	2021	\$ 50
Planning and Development	Toilet Rooms	Accessible toilet rooms do not have signs with braille or contrasting characters	Install accessible signs with braille and contrasting characters	2	2021	\$ 50
Planning and Development	Toilet Rooms	No side wall grab bar	Install side wall grab bar	2	2021	\$ 50
Planning and Development	Toilet Rooms	Lavatory mirror too high	Lower mirror	2	2021	\$ 100
Planning and Development	Toilet Rooms	No rear wall grab bar	Install rear wall grab bar	2	2021	\$ 100
Planning and Development	Toilet Rooms	Accessible toilet room door does not have accessible door hardware	Install accessible door hardware	2	2021	\$ 150
Planning and Development	Toilet Rooms	Accessible area in toilet room too little	Remove obstructions	2	2021	\$ 150
Planning and Development	Toilet Rooms	Lavatory faucet cannot be operated without twisting	Install accessible faucets	2	2021	\$ 150
Planning and Development	Toilet Rooms	Accessible toilet room door not wide enough	Install offset hinges	2	2021	\$ 250
Planning and Development	Toilet Rooms	Lavatory too close to wall for wheelchair	Alter lavatory to correct distance from wall	2	2021	\$ 250
Veteran's Services	Toilet Rooms	Mirror too high	Reposition mirror	2	2021	\$ -
Veteran's Services	Toilet Rooms	Toilet room signs are not in braille or characters raised	Install signs with braille and raised characters	2	2021	\$ 20
Veteran's Services	Toilet Rooms	Sink supply pipes and drain exposed	Enclose pipes and drain	2	2021	\$ 20
Veteran's Services	Toilet Rooms	No soap dispenser	Install soap dispenser	2	2021	\$ 50
Veteran's Services	Toilet Rooms	Height of toilet too low	Adjust toilet height	2	2021	\$ 50
Veteran's Services	Toilet Rooms	Sink has front legs that obstruct access	Remove legs and install sink support	2	2021	\$ 150
Mayor's Office	Access to Goods and Services	Interior door closes too fast	Adjust closer	2	2021	\$ -

Mayor's Office	Access to Goods and Services	Interior door cannot be operated with one hand	Install accessible lever door hardware	2	2021	\$ 150
Veteran's Services	Additional Access	Drinking fountain protrudes into circulation aisle	Install permanent planter to block drinking fountain	2	2021	\$ -
Veteran's Services	Additional Access	Telephone does not have volume control signage	Install sign	2	2021	\$ 50
Veteran's Services	Additional Access	Drinking fountain too high	Adjust height of drinking fountain	2	2021	\$ 100
Veteran's Services	Additional Access	Drinking fountain cannot be operated one-handed without twisting wrist	Install correct control	2	2021	\$ 150
Airport	Access to Goods and Services	Objects protrude more than 4 inches into normal circulation area	Place permanent planter as barrier to object	2	2021	\$ -
Airport	Access to Goods and Services	No elevators or lift to second floor	All services will be offered on ground floor	2	2021	\$ -
Airport	Access to Goods and Services	Signs for rooms do not have letters that contrast with their backgrounds	Install contrasting signs	2	2021	\$ 50
Airport	Access to Goods and Services	Informative signs do not have letter that contrast with their backgrounds	Install signs that contrast	2	2021	\$ 50
Public Works	Access to Goods and Services	Interior doors do not have hardware that can be operated with one hand and no grabbing or wrist twisting	Install accessible door hardware	2	2021	\$ 150
Mayor's Office	Toilet Rooms	No signs designating accessible toilet room	Install sign	2	2021	\$ 50
Mayor's Office	Toilet Rooms	Lavatory mirror too high	Lower mirror	2	2021	\$ 100
Mayor's Office	Toilet Rooms	No coat hook at appropriate height	Add coat hook	2	2021	\$ 20
Mayor's Office	Toilet Rooms	Lavatory does not have enough space under for knee clearance	Replace lavatory	2	2021	\$ 200
Mayor's Office	Toilet Rooms	There is no toe clearance under lavatory	Replace lavatory	2	2021	\$ 50
Mayor's Office	Toilet Rooms	No accessible soap dispenser	Install soap dispenser	2	2021	\$ 25

Mayor's Office	Toilet Rooms	Towel dispenser cannot be operated without tight grasping	Install accessible towel dispenser	2	2021	\$ 25
Mayor's Office	Toilet Rooms	Water Closet too far from grab bar	Move partition closer to water closet	2	2021	\$ 100
Mayor's Office	Toilet Rooms	Clearance space around water closet too narrow	Alter room for clearance	2	2021	\$ 250
Mayor's Office	Toilet Rooms	Grab bar on side wall does not extend far enough from back wall	Reposition grab bar	2	2021	\$ 50
Mayor's Office	Toilet Rooms	Grab bar on back wall does not extend far enough from side wall	Reposition grab bar	2	2021	\$ 50
Airport	Toilet Rooms	Toilet room door closes too quickly	Adjust closer	2	2021	\$ -
Airport	Toilet Rooms	Coat hook located too high	Reposition coat hook	2	2021	\$ -
Airport	Toilet Rooms	Toilet rooms signs do not have Braille or raised characters	Install signs with braille and raised characters	2	2021	\$ 50
Airport	Toilet Rooms	Toilet room grab bar does not extend far enough from back wall	Reposition grab bar	2	2021	\$ 50
Airport	Toilet Rooms	Sink too low to floor	Reposition sink	2	2021	\$ 100
Airport	Toilet Rooms	Centerline of the toilet too far from partition	Move partition	2	2021	\$ 100
Airport	Toilet Rooms	Toilet stall door is not self-closing	Install closer	2	2021	\$ 100
Airport	Toilet Rooms	Flush control is not on open side of toilet	Move flush control	2	2021	\$ 200
Public Works	Toilet Rooms	No sign at inaccessible toilet room giving directions to accessible toilet room	Install sign	2	2021	\$ 50
Public Works	Toilet Rooms	No sign with international handicapped symbol at accessible toilet room	Install sign	2	2021	\$ 50
Public Works	Toilet Rooms	Toilet room signs are not displayed at proper height or have braille	Install signs with braille at proper height	2	2021	\$ 50
Public Works	Toilet Rooms	Toilet stall door is not self-closing	Install toilet stall door closer	2	2021	\$ 50

Airport	Additional Access	Drinking fountain protrudes into circulation area	Install permanent planter as boarder for fountain	2	2021	\$ -
Airport	Additional Access	Drinking fountain spout too high	Reposition drinking fountain	2	2021	\$ 50
Airport	Additional Access	Telephone volume control does not have signage	Install signage	2	2021	\$ 50
Library	Approach and Entrance	No van accessible signs installed with universal symbol	Install signs	3	2022	\$ 50
Library	Approach and Entrance	Inaccessible entrances do not have signs giving directions to accessible entrances	Install signs	3	2022	\$ 50
Library	Approach and Entrance	Outside mats at not secured to ground	Secure mats to ground	3	2022	\$ 50
Library	Approach and Entrance	Accessible sign not installed on latch side of door	Install sign	3	2022	\$ 50
Library	Approach and Entrance	No accessible parking spots accurately marked	Mark accessible parking spots	3	2022	\$ 100
Library	Approach and Entrance	No van accessible parking spots marked	Mark van accessible parking spots	3	2022	\$ 100
Library	Approach and Entrance	No access aisle marked for van accessible parking	Mark accessible aisle for van accessible parking spot	3	2022	\$ 100
Library	Approach and Entrance	No access aisle marked from parking spots to accessible route to entrance	Mark access aisle route from parking to accessible entrance	3	2022	\$ 100
Library	Approach and Entrance	No signs with universal accessible symbol installed at parking spots	Install signs	3	2022	\$ 150
Library	Access to Goods and Services	Objects protrude into circulation area	Add permanent planter as warning for object	3	2022	\$ -
Library	Access to Goods and Services	Pathways are not wide enough to be accessible	Rearrange furniture to provide accessible paths	3	2022	\$ -

Library	Access to Goods and Services	Interior door does not have accessible hardware	Install accessible hardware	3	2022	\$ 150
Library	Access to Goods and Services	Interior door hard to open due to weight	Install lighter door	3	2022	\$ 350
Library	Toilet Rooms	No accessible signs at toilet rooms	Install signs	3	2022	\$ 50
Library	Toilet Rooms	Toilet room entrances area not wide enough to maneuver	Remove obstacles	3	2022	\$ 50
Library	Toilet Rooms	Lavatory too high and too close to wall	Alter lavatory position	3	2022	\$ 50
Library	Toilet Rooms	No accessible soap dispenser available	Install accessible soap dispenser	3	2022	\$ 50
Library	Toilet Rooms	Towel dispenser too high	Lower towel dispenser	3	2022	\$ 50
Library	Toilet Rooms	Toilet paper dispenser too far forward away from water closet	Reposition toilet paper dispenser	3	2022	\$ 50
Library	Toilet Rooms	Toilet compartment does not have door closer	Install door closer	3	2022	\$ 50
Library	Toilet Rooms	Space around water closet too small	Alter compartment wall around water closet	3	2022	\$ 100
Library	Toilet Rooms	Toilet compartment does not have accessible door hardware on both side of door	Install accessible door hardware on both sides of door	3	2022	\$ 150
Library	Toilet Rooms	Compartment door lock is not accessible by one-hand without grasping	Install accessible door lock	3	2022	\$ 150
Library	Toilet Rooms	Toilet control centered on tank and not close enough to side	Replace toilet for one that has control on open side of compartment	3	2022	\$ 200
Library	Toilet Rooms	Toilet compartment too narrow	Widen compartment	3	2022	\$ 200
Library	Additional Access	Light controls cannot be operated one-handed without twisting of wrist	Replace light control	3	2022	\$ 50
Mt. Moriah Community Center	Toilet Rooms	No toilet rooms signs with braille or contrasting characters	Install accessible signs	3	2022	\$ 50

Mt. Moriah Community Center	Toilet Rooms	Towel dispenser too high on wall	Lower height of towel dispenser	3	2022	\$ 50
Mt. Moriah Community Center	Toilet Rooms	Toilet room door does not have accessible hardware	Install accessible hardware on door	3	2022	\$ 150
Mt. Moriah Community Center	Toilet Rooms	Grab bar on side wall too short	Install grab bar with correct length	3	2022	\$ 150
Mt. Moriah Community Center	Toilet Rooms	No grab bar on back wall	Install grab bar on back wall	3	2022	\$ 150
Mt. Moriah Community Center	Approach and Entrance	No signs for accessible van parking spots	Install signs	4	2023	\$ 50
Mt. Moriah Community Center	Approach and Entrance	Accessible parking spots not marked with signs	Install signs marking accessible parking spots	4	2023	\$ 150
Mt. Moriah Community Center	Approach and Entrance	No marked access spaces next to accessible parking	Mark access spaces next to accessible parking spots	4	2023	\$ 500
Agricultural Extension Office	Approach and Entrance	Door closer closes too fast	Adjust Door Closer	4	2023	\$ -
Agricultural Extension Office	Approach and Entrance	No ADA signage	Install signs	4	2023	\$ 50
Agricultural Extension Office	Approach and Entrance	Carpets and mats not secured to floor	Secure carpet and mats to floor	4	2023	\$ 50
Agricultural Extension Office	Approach and Entrance	No Curb Ramp cutout	City's responsibility - install curb cut and ramp	4	2023	\$ -
Agricultural Extension Office	Access to Goods and Services	Access route from offices to conference room too narrow	Access to both areas available from outside entrances	4	2023	\$ -
Agricultural Extension Office	Access to Goods and Services	Interior signage is not positioned correctly	Install correct signage	4	2023	\$ -
Agricultural Extension Office	Access to Goods and Services	Counter height is too high	Lower accessible counter portion	4	2023	\$ 200
Agricultural Extension Office	Access to Goods and Services	Interior door does not enough clearance	Redesign door access	4	2023	\$ 500

Agricultural Extension Office	Access to Goods and Services	Ramp from Hall to Supply room too steep	Not available to the public	4	2023	\$1,000
Agricultural Extension Office	Toilet Rooms	Towel dispenser too high	Reposition towel dispenser	4	2023	\$ 20
Agricultural Extension Office	Toilet Rooms	No signage for toilet rooms	Install appropriate signage	4	2023	\$ 50
Agricultural Extension Office	Toilet Rooms	Mirror not low enough	Lower mirror	4	2023	\$ 50
Agricultural Extension Office	Toilet Rooms	Not enough space under lavatory	Alter lavatory	4	2023	\$ 50
Agricultural Extension Office	Toilet Rooms	Lavatory pipes not covered or insulated	Cover or insulate pipes	4	2023	\$ 50
Agricultural Extension Office	Toilet Rooms	Toilet paper dispenser not accessible	Reposition dispenser	4	2023	\$ 50
Agricultural Extension Office	Toilet Rooms	No Accessible route to toilet room	Alter route	4	2023	\$ 100
Agricultural Extension Office	Toilet Rooms	Path to fixtures too narrow	Remove obstacles	4	2023	\$ 100
Agricultural Extension Office	Toilet Rooms	Not enough space to maneuver	Rearrange space	4	2023	\$ 100
Agricultural Extension Office	Toilet Rooms	Toilet flush handle not on open side of toilet	Reposition handle	4	2023	\$ 200
Agricultural Extension Office	Toilet Rooms	Toilet Room not accessible	Adjust layout	4	2023	\$ 500
Agricultural Extension Office	Toilet Rooms	Door opening too narrow	Install appropriate size door	4	2023	\$ 500

ADA Info Sheet

7-Oct-19

Public Facilities where the public congregates and receives public services

<u>Funding Per Year</u>			
<u>2019-20</u>	<u>2020-21</u>	<u>2021-22</u>	<u>2022-23</u>
\$ 2,245	\$ 12,420	\$ 3,175	\$ 4,270

Facilities Included:

Agricultural Extension Service
Airport
Courthouse
Election Office
Emergency Management
Fire Department Office
Health Department
Justice Complex
Library
Mt. Moriah Community Center
Planning and Development
Public Works
Veteran's Affairs

Facilities Not Included:

Ambulance Department
Fire Dept - District 15
Fire Dept - Hickory Withe (Hwy 64)
Fire Dept - Hickory Withe (Orr Rd.)
Fire Dept - Macon
Fire Depart - Moscow
Fire Depart - North
Fire Dept - Northeast
Fire Dept - Sheriff's Substation
Fire Dept - Williston
Solid Waste

Commissioner German moved to approve the following request by Ambulance Director Glenn Miller to remain with AMB (American Medical Billing). The motion was seconded by

Commissioner Steve Reeves and passed unanimously.

10.3.6.6

**Fayette County
Ambulance**

Memo

To: Fayette County Commission
From: Glenn Miller, Director of Ambulance
cc:
Date: October 3, 2019
Re: Ambulance Billing RFP

After a thorough review of the two Ambulance Billing RFPs received, I am recommending we remain with AMB, Ambulance Medical Billing. Should our call volume remain the same AMB will be approximately \$10,000 more than Digitech. My reasoning behind staying with a company that is more expensive are as follows:

- We currently have a strong working relationship.
- AMB places a high priority on compliance in todays world this is a must.
- I have found that AMB has highly qualified staff to complete the contract requirements.
- It takes years to build a trusting relationship with a vendor which we have now, and we have a very stable revenue stream in place, that is growing year over year with AMB.
- Proximlty. AMB is located within a 2 ½ hour drive, should we have any issues it is a very quick drive to meet and gain resolution.

Commissioner German moved to approve the following Resolution of Support for incineration of deer carcasses with chronic wasting disease. The motion was seconded by

Commissioner Farley and passed unanimously.

11.1

RESOLUTION OF SUPPORT FOR INCINERATION FOR DEER CARCASSES WITH CHRONIC WASTING DISEASE

WHEREAS, Chronic Wasting Disease (CWD) is a fatal disease that is produced by a mutated protein that can affect all cervids, the deer family, and resides in the soil as well as infected animal tissue; and

WHEREAS, the federal Center for Disease Control (CDC) and the Tennessee Wildlife Resource Agency (TWRA) have advised that everyone should avoid consuming deer from areas with the disease for fear of it spreading the disease to humans, although no known humans have contracted the disease as of yet; and

WHEREAS, Fayette County has been shown to have infected deer since early in 2019 and has since has had restrictions implemented on the transport of deer carcasses between counties and a prohibition of carcass transfer across state lines; and

WHEREAS, incineration of the deer carcass and protein at a very high temperature of at least 1800°F is a proven method of elimination of the pathogen; and

WHEREAS, TWRA has chosen to bury the carcasses so as to encapsulate and remove them from the environment, but in so doing may allow the pathogen in the future to re-infect the area, pose a risk to the Memphis Aquifer and the thousands of individuals it supplies, and does not provide a long term solution by requiring long transport of the carcass and the possible further spread of the disease; and

NOW, THEREFORE, BE IT RESOLVED by the County Commission of Fayette County that the Tennessee Wildlife Resource Agency immediately implement an incineration program to dispose and permanently eliminate the pathogen of known infected deer.

Adopted this 22nd day of October, 2019.

APPROVED: ATTEST:

Fayette County Commission Chairman

Fayette County Clerk

Date

With no further business before the Board the meeting was adjourned.

Rhea Taylor, County Mayor

ATTESTED:

Sue Culver, County Clerk

